


ERICSSON-LG ENTERPRISE COMMUNICATIONS SOLUTIONS

iPECS is an Ericsson-LG Brand





Contents

04 _ Enterprise Business

08 _ Small and Home Office

10 _ Applications

17 _ Phones

23 _ iPECS Ethernet Switches



Ericsson-LG Enterprise Communications Solutions

Ericsson-LG Enterprise, a joint venture between Ericsson and LG-Electronics, is a global leader in providing innovative technology and business communications solutions. Ericsson-LG Enterprise enables enterprises to boost revenue, reduce costs, enhance customer service, and increase productivity.

With more than 50 years of experience, Ericsson-LG Enterprise recognizes and understands customers concerns and requirements when selecting a communications solution. As a reliable business partner, Ericsson-LG Enterprise offers customized solutions to small and large enterprises with a portfolio ranging from Cloud UC, IP PBX, UC, mobility, fixed network infrastructure, voice, applications and data solutions.

Ericsson-LG Enterprise focuses on the following core values when delivering enterprise communications solutions;

- Convergence Ericsson-LG Enterprise meets customer's needs for converged services including cloud, voice capabilities, applications suites, data networking and management tools.
- **Compatibility** Ericsson-LG Enterprise protects your investments through feature enhancements in your existing environment and the seamless migration to a converged IP world when it works best for your business.
- Efficiency Ericsson-LG Enterprise offers total solutions including management platforms for cloud, UC, mobility, hospitality, contact center and security which are designed to improve efficiency.
- Future proofed Our R&D investment is focused on continuous technology leadership in IP communications. The innovative technology enables easy expansion in either features or system capabilities as your business needs change.

Ericsson-LG Enterprise ensures your competitiveness through delivering end-to-end communications solutions that provide the answers for your business.

ENTERPRISE BUSINESS iPECS Platforms

The value of any solution to an enterprise must be tied to the quantifiable results that can deliver to the organization. As an enterprise expands, these results become apparent as their workforce becomes mobile, global, and dependent on ease of communications and collaborations. For the business to perform and stay competitive, enterprises need tools that interoperate well together, bring fast, and well performed. With high quality interoperability, critical decision making can be faster and more efficient in the work environment.

To meet the enterprise needs, Ericsson-LG Enterprise offers the iPECS, converged IP enterprise communications solutions, that delivers a complete product lineup for unified communications including voice, data and applications for small to large enterprises. iPECS platforms, including call servers and gateways are at the heart of the iPECS solutions that have highly reliable hardware and software. Experience a fully distributed IP architecture and rich set of features.



iPECS UCP

Unified Communications Platform for UC&C and Mobility Solutions



Simple, Flexible and Cost-Effective Platform

iPECS UCP is Ericsson-LG Enterprise's unified communications platform designed to meet SME and enterprise communications needs. As ground breaking innovative platform, iPECS UCP provides out of box UC and Mobility solution. In addition, iPECS UCP is scalable for premium UC solution. There are 3 models for your business size.(UCP100, UCP600, UCP2400)

As the most compelling advantage, unified communications services are embedded in iPECS UCP. Users can improve business efficiency and productivity with embedded UC features including real-time voice, video and presence enabled IM with messaging services(Visual Voice Mail and SMS etc.) under a single user interface on multiple devices without the need of an external server. Also, it is seamlessly expandable to provide advanced collaboration services(File sending, application sharing and multi-party video conference etc.) by simply adding an external server.

iPECS UCP provides multiple mobility solutions to improve business productivity and decrease communication expenses. iPECS IP DECT solution provide feature rich and reliable communications for internal mobile workers. iPECS UCS mobile client delivers power of a desk phones to smartphones or tablet PCs for external mobile workers.

iPECS UCP provides a various range of applications and mobile clients to fulfill varing needs and requirements in the SME environments. Also, it offers interoperability with various 3rd party solutions in hospitality healthcare and other verical industries.

Features and Benefits

Embedded UC and telephony

- iPECS UCS standard server is built in iPECS UCP
- iPECS UCS standard provides numerous features such as Video, Instant Message(IM), Audio Conference, Visual Voice Mail(VVM) etc.
- iPECS UCS premium server (External server) provides more advanced features than standard server

Seamless scalability

- Expansion of system capacity is available by a simple license up to Max 2,400 ports
- User can reduce initial and upfront investment cost
- Ability to expand with licenses as the business grows

Mobular All-IP architecture for ultimate flexibility

- Geographical call server redundancy and power redundancy
- T-NET(Transparent Networking) for local survivability and PSTN failover
- IT managers can easily manage a multisite business network
- Realizing a seamless and powerful business communication

Improved business performance

- Diverse applications for user (iPECS IPCR, Attendant, CCX, Voice Mail, ClickCall)
- Interoperability with various 3rd party solutions in hospitality, healthcare and other vertical industries with Web API supported
- Interworking with MS Teams through Call2Teams middleware

Virtualizing business communications

- Software based call server (vUCP) runs on VMware, AWS or MS Azure
- Same software as on-premise iPECS UCP and all the system features as well
- Easy deployment with scalability and flexibility with iPECS vUCP starting from 50 and up to 2,400 ports

iPECS eMG800

Innovative Hybrid Platform



Maximizing Cost and Communication Effectiveness

iPECS eMG800 is an optimized SME solution built with the common challenges of SMEs in mind such as growth, flexible IP converged capabilities, unified communications, ease of use, mobility, single management, scalability, reliability and cost-effectiveness.

Same as iPECS UCP, iPECS eMG800 also provides embedded unified communications services. Users can improve business efficiency and productivity with iPECS UCS built in standard or external premium server. Moreover, for internal mobile workers, iPECS eMG800 provides IP DECT mobility solutions.

iPECS eMG800 supports complete single network IP solutions with high capacity embedded VoIP to protect your upfront investment. Also, it can seamlessly migrate to an IP converged world as an innovative hybrid platform.

To fulfill varying needs and requirements in the SME environments, iPECS eMG800 provides a various range of applications and mobile clients. Also, it offers interoperability with various 3rd party solutions in hospitality, healthcare and other vertical industries.

iPECS eMG800 enables flexible and cost-effective multi-site deployment, and it makes users can experience seamless and powerful communications. Also, it can be fully networked in T-NET(Transparent Networking) for local survivability and PSTN failover. Through flexible T-NET features, IT managers can easily manage a multi-site architecture.

Features and Benefits

Embedded UC and telephony

- iPECS UCS standard server is built in iPECS eMG800
- iPECS UCS standard provides various features such as Video, Instant Message(IM), Audio Conference, Visual Voice Mail(VVM) etc.
- iPECS UCS premium server (External server) provides more various features than standard server

Seamless scalability

- Basic capacity is 200 ports
- Expandable up to 1,200 ports by a simple system expansion
- User can reduce initial and upfront investment cost

Simple and flexible architecture

- T-NET(Transparent Networking) for local survivability and PSTN failover
- IT managers can easily manage a multisite business network
- Realizing a seamless and powerful business communication

Improved business performance

- Various applications for user (iPECS IPCR, Attendant, CCX, Voice Mail, ClickCall)
- Interoperability with various 3rd party solutions in hospitality, healthcare and other vertical industries with Web API supported
- Users can set up an efficient communications environment with various applications
- Interworking with MS Teams through Call2Teams middleware


Embedded VoIP

- Embedded VoIP Max 8 channels by license
- Provides cost benefits on overall business communications for using VoIP channel

SMALL AND HOME OFFICE

Smart and Efficient Solutions

New technologies in the realm of telephony bring communications advances that influence changes in business. Traditional imperatives in the SOHO telephony market are cost-effectiveness and ease of operation and maintenance; the latest generation technologies provide both without requiring significant technical training and support. Ericsson-LG Enterprise provides communications solutions that fit the needs of small businesses to help accelerate business opportunities. And it will provide a better customer satisfaction with sophisticated service options - while, giving them full-control to manage the system for themselves. In the end, no matter what size your business is, Ericsson-LG Enterprise delivers business critical solutions that give you a competitive advantage.



iPECS eMG100

Best-in-class Hybrid Communications Solution

It's time for unified communications (UC), the transformative tool that integrates all your business communications into one place. Here's the cost competitive and simple platform for small and midsize businesses to help connect better, boost efficiency, and move your business to the next level.

It's a cost effective hybrid platform that supports IP, digital, analog, and UC devices, so you can work from any device with any technology. When looking for a communication system and value for money comes as the main decision-making factor. iPECS eMG100 provides many built-in solutions that will maximize your return on investment. TDM interfaces, built-in VoIP and VM capacity with emergency alarm and relay and paging features are all embedded as default. Compact design, single cabinet with many of the communication features included out of the box. Enjoy your best-inclass hybrid communication system with iPECS eMG100.

Features and Benefits

Simple single cabinet

With a single cabinet solution it removes the hassle of carrying multiple cabinet types for your communications solution. iPECS eMG100 comes as a single cabinet that can be wall mounted or 19-inch rack mount depending on your requirements. All ports are equipped with a RJ45 interface to have universal compatibility. Whether you are looking for series of capacity upgrades, complete hardware expansion or technology upgrade from TDM to IP, this single cabinet simplifies your solution options. Add an additional license to connect another iPECS eMG100 cabinet to simply double your communication power.

Reliable multi-site deployment

We provide multi-site deployment with a local/branch system that supports local suvivability (LCM). Centrally connected and managed, your communication system is secure and reliable. In case of a network failure, local servers will take over the operation to securely manage the local communication system. Backup connections to the local PSTN network can also be used as a last resort. Avoid downtime with automatic fail-over between sites, so that your clients can reach you whenever they need.

Easy installation and simple management

The user-friendly interface is consistent across devices, keeping training times quick. Simple software installation makes the initial settings effortless. Multiple levels of user-friendly administration tools also add value for easy management. Web-admin helps IT managers to easily customize their workflows and manage the real-time operation locally and remotely. The 'Web User Portal' allows end-users to easily personalize their communication needs from anywhere and anytime on any device such as their desktop, smart phone or tablet.



- · Best-in-class hybrid for analog, digital and IP technologies
- Single cabinet for basic and expansion KSU
- Equipped with all RJ45 interfaces
- Max 214 ports 74 trunks/140 EXT.
- Wall or 19 inch rack mounting

Out of the box Unified Communications

As the most compelling advantage, advanced business communication features are provided by default. Users can improve business efficiency and productivity with embedded UC features including real-time voice, video and presence enabled instant messaging under a single user interface on any device.

Rich business applications

iPECS eMG100 provides a various range of business applications and mobile clients to fulfill varying needs and requirements in the small and medium sized enterprise environments. It also offers interoperability with various 3rd party solutions in hospitality, healthcare and other vertical industries.


Tailor to your needs

All businesses are different. Whatever makes you distinctive, pick the applications and integrations you need to connect better and deliver more. Choose from the many add-ons to meet your specifications from our suite of products or from compatible 3rd party solutions with easy integration. iPECS eMG100 provides a cost-effective way to use existing solutions by using universal interfaces such as Web API to provide compatibility.

APPLICATIONS

Empowering Business Communications and Collaboration To enrich the business communications experience and empower collaboration, applications are critical in addition to IP telephony platforms. Ericsson-LG Enterprise provides a variety of software applications for business communications and collaboration.

Lead the way in communications with a full suite of cutting-edge apps for all business sizes. From Unified Communications (UC) platforms to specialized tools to boost productivity, find all you need to connect your team and your customers.



iPECS UCS

Unified Communications Solution for Enhancing SMBs



[Desktop client]

•					0		Ī
P IZOS PM						resence(1	1Pe
Q, Search				- 1	1 Preserve	5	
					da	Name, F	bo
Mason Taylon Meeting with Nexus Team	×.				~ My F		110
sam.						Mark Android	Long
Andrew Miler		44			· Gros	p Not Assign	Ned (
Offine	0	-				peter	005
Jacob Brown Busy	¢	*				Katrin titel d	a R
Olivia Robinson	¢				ŝ	peter	104
	in per	0				Jame	
						_	
							_

[iOS]

[Android]

iPECS UCS is a powerful multimedia collaboration and productivity enhancing application which is exclusively designed for small and medium sized businesses. Users can experience powerful UC solution without concerns over expenses thanks to a single server architecture. The rich features, capability and the ability to integrate 3rd party solutions are well-suited for small and medium sized customer's UC environment.

* *iPECS UCS feature set will be dependent on the types of license installed.* (*Please refer to UCS datasheet for detailed license information.*)

Integrated Presence

- · Instant decision on reachability by status color
- Save time and cost through real-time communications with people who are available for collaboration
- Integrated DND setting is available for both iPECS UCS client and desktop phone at the same time

Instant Messaging, SMS and Note

- Various chatting mode(1:1, 1:N, Ad-hoc)
- · Inviting others by drag and drop
- Packet encryption by AES
- · Send and receive text message to other internal iPECS system or external SMS users
- · Leave a note for offline iPECS UCS user

Audio Call & Conference

<Audio Call>

- · Call popup : Display caller's information based on CID
- · MS Outlook popup : Display caller's contact information in MS Outlook based on CID
- · Call memo : Noting important information during a call

<Audio Conference>

- · Easy conference building by graphical user interface and drag and drop
- · Conference control features : Invite, Remove, Mute, Changing Master, Record

Video Call & Conference

- · Build face to face conference at anytime, anywhere
- Maximum 9 party, 8 group video conference
- Video resolution : QCIF, CIF, VGA, 4CIF (704 x 480/576)
- Ad-hoc conference
- Meet-me conference and e-mail notification
- Application sharing during conference
- Remote monitoring, still shot
- Presentation mode (1:32)

Collaboration

- · More effective and productive work with others
- File Send
- Program sharing
- Application : Sharing documents, spreadsheets, presentations and drawing in real time
 Desktop : Sharing desktop screen
- Web push : Sharing web page address
- · Whiteboard : Sharing drawings and free-form text

Contact Center Solution

Intelligent Multi-Channel IP Contact Center Solution



[iPECS CCX Web Dashboard]



[iPECS CCX Web Desk agent]

Ericsson-LG Enterprise offers a contact center solution that covers all size business. iPECS CCX is a web based professional multi-channel IP contact center solution best integrated with iPECS platforms. Including desk client and reporting tool as default, iPECS CCX provides many additional modular applications.

iPECS CCX

iPECS CCX is a web based multi-channel contact center solutions package for all businesses. Its multiple channels in comprehensive allin-one solution provide seamless connections for your smart customer services.

Best suite for small and medium sized contact center

- · Cost effective bundles for basic contact center with iPECS platforms
- Flexible add-on and optional modules for additional functionality
- Easy installation and operation with intuitive and simple functions
- Embedded CRM interface for well-known CRM solutions

Multi-channel all in one solution

- iPECS CCX enables you to provide smart customer service enabling customers to communicate any way they choose
- Managing telephone, e-mails, voice mail, fax, SMS, web call back, call back in queue, web chat and social networking
- Different rules for each media or channel
- · Virtual server support for multi functional servers
- · Agent use web based iPECS CCX Desk agent for multimedia call handling

Next generation customer contact

- · Enable consistent cross channel communications
- Social Network Solution supports most popular medias (incl. Facebook)
- Multimedia outbound Tele-Marketing
- CRM integration for better service for customers and business integration
- Expert contact levering Unified Communications Solutions increase productivity and improve customer service by providing first contact resolution

Web based reporting tool


- Real-time monitoring and historical reports on a range of call accounting, billing, call analysis, etc.
- Integrating with voice recording or CRM/Database in the contact center to show comprehensive reports
- Business intelligent web based Dash Board

iPECS CCX consists of basic package and modularized options for special functions

- Basic package iPECS CCX CC : Multi channel inbound CC iPECS CCX Desk : Agent's desktop software iPECS CCX Report : Monitoring and report
- Optional modules
 iPECS CCX Call : Multimedia outbound CC
 iPECS CCX Chat : Web chat and instant messaging clients
 iPECS CCX Social : Social networking with Facebook
 iPECS CCX IVR : Interactive voice response
 iPECS CCX Record : Voice recording
 iPECS CCX SMS : SMS service
 iPECS CCX Survey : Survey for customer service measurement
 iPECS CCX Coach : Coach for agent training



[Real-time Statistics and ACD Dashboard]



[Agent for iPECS CCX Report Plus]

iPECS CCX Report Plus

iPECS CCX Report Plus business reporting module delivers historic and current information on business communications, supporting better analysis and decision making.

Service and performance monitoring

In today's fast moving, service oriented environment, providing customer service and managing resources efficiently are key objectives. iPECS CCX Report Plus provides an intuitive tool to monitor customer service and the operational performance of your business. You can easily check and analyze if your level of service and staffing are adequate, resulting in better business planning.

Business intelligence dashboard

iPECS CCX Report Plus provides business intelligence dashboard, real-time dashboard screen and threshold alerting service that is user configurable. Whether you need telephone call accounting statistics, or contact center real-time information for a wallboard, iPECS CCX Report Plus dashboard has the answer. User configurable interface that lets you control what you want to see. You can design your own business intelligence center and then create thresholds and targets. It gives you complete control on how you are alerted when those targets are reached.

Embedded ACD and ACD Report

iPECS CCX Report Plus gathers ACD information from the call servers embedded ACD. As ACD information is embedded, every call is distributed automatically based on call information. The key feature of embedded ACD is agent monitoring and reporting. Managers can get agent's status, break time, number of calls etc. Statistics of agent's activity are provided with a diverse report format. Managers can get a report from the web and also through the dashboard. Efficient monitoring and fast decision making are possible utilizing the ACD information provided to managers through the dashboard.

Agent Web Client

Agent Web Client is web based tools for agent reporting and performance review. Users can easily login/out without inputting a code using a desktop phone. A user can connect his/her desktop phone to the contact center system. Once a user is logged into the system, the presence is integrated between the Agent Web Client and the desktop phone. Managers can easily monitor real-time ACD agent statuses and history. Agent statistics are provided as a ticker-tape, pie and bar chart. Through client statistics, a manger can easily manage an agent group for business productivity.

Features

- Proprietary protocol between the call server and reporting server instead of TAPI
- Automatic scheduling of reports to print, e-mail or file(PDF, Excel)
- · Call recording integrated with report in one conference
- Saving and displaying call traffic and ACD data
- Real-time information display about every call including agent status and action
- · Personal statistics for agent reporting and performance review
- Agent Control by supervisor in Agent Web Client
- Powerful Carrier Tariff interface resulting in enterprise grade reporting
- Over 80 powerful reports for system performance, service levels, grades of service and agent/team evaluation
- Accesses anywhere use dashboard in the company or remote office
- · Wallboard and alert management
- · Simple for user to configure and create multiple dashboard screens

Software Attendant Console

Operator and Information Solutions



[iPECS Attendant Office Version]

to horacion	👌 basteris	Dia Rosa Roba	Ren Darp	@ ==	💭 CON		🚺 WANTO	🛔 Castana Ka
Froms	1005	1007	1008	1009	1010	1011	1012	1913
er Gan	Fet Cort	Fet Can	Fet Care	Fee Care	Fet Cles	First Class.	Fet Cure	Feet Class
M1	- 🖬 Dity	E Day	E Day	E Day	an Cean	副 Cean	副 Can	E Dity
nes .								
	1014	1017	1018	1019	1820	1021	1822	1923
	Fed Class	Fed Class	Fed Cara	Ted Clea	FréCies	Fret Care	Fed Cars	Fed Own
	E Day	A Cut of Service	A Cut of Service	A Garat Service	A Out of Service	A Cut of Service	A Cut of Service	Out of Service
	1924	1125	1826	1027	1028	1029	1831	1832
	Fee Ches	Fee Cura	FeeCues	Fee Class	Fest Class	Frenches	Fee Case	Fee Ches
	A Cut of Senice	A Chit of Service	A Cout of Service	A Out of Service	A Out of Service	A Cut of Service	A Chit of Service	A Out of Service
	1033 Fet Own	1834 Fed Own	1835 Fed Own	1836 Fet Care	1037	1038	1839 Fet Oans	1941 Centl
	A Og of							A 04 of
	A Service	A Out of Service	A Out of Service	A Gat of Service	A Gat of Service	A Out of Service	Cut of Service	A Service
	1942							
	Castl							
	A Cut of Service							
	_							

[iPECS Attendant Hotel Version]

Ericsson-LG Enterprise provides PC based software attendant consoles that integrate telephony with external call data and workforce information. The applications simplify call handling and meet evolving communications requirements. As the operator consoles for Ericsson-LG Enterprise's communications systems, iPECS Attendant gives highly efficient telephony connections for attendants, receptionists and secretaries.

iPECS Attendant

iPECS Attendant is the IP based attendant console with soft phone function, hotel features and an improved user interface. Based on the iPECS platforms that integrated with iPECS Attendant, the supported features are various for quick and easy call handling.

Embedded IP soft phone functions

- · Various call features without an external desktop phone
- · High quality voice communications using a PC or laptop

Desktop call control mode (Supported over Ver. 2.6)

- Additional option for an attendant using desktop IP phone for voice
- Supports Same call features as in iPECS Attendant softphone mode

Easy to use interface

- · Wait time and priority based call handling with caller information
- Quick and easy call handling with simple click or drag and drop
- · Desktop phone and status presence based call routing
- iPECS UCS presence information display
- Busy Lamp Field(BLF) and status information display
- · Shortcut keys for frequently used functions
- · Pre-selected and customized station status message setting
- Station setting modification: Station name, COS, Temporary COS, attendant cancel, music selection
- · Attendant status change : Day, Night, On demand, Weekend, Auto ring, Forward

Simple directory and database management

- · Local phone book import and export
- Database and system component back up to the local hard disk drive
- Multiple local database interface
- Support MS Outlook integration
- Phone book management : Register, Edit, Delete, 17 database fields, Dynamic search, Sort, Filter

More productivity enhancement features

- Dialing options : Keypad dialing, click to call from the phone book, station icon, log view and speed dial
- Video call, Conferencing, Call recording, Text messaging, E-mail notice, Paging, Emergency call monitoring, etc.
- Multiple attendants' monitoring and superb statistical reporting of all calls

Hospitality features

- Check in/out, wake up call, room status, room cut off, hotel reservation part-time of room charge calculation, add additional service charge option etc.
- · Wake-up call management: Multiple wake-up, group set, optional set
- iPECS Attendant Hotel for basic PMS functionality
- Check-out billing service, Custom billing format
- System Information update in real-time(PMS DB sync)
- DND service, message service
- Room class(COS) setting, Room change and automatic change of COS when check out

iPECS IPCR

IP Call Recording Solution

CS IPCR								
earch & Listen 🛛 🗠	Horing & Desblorand	aport Administration						
Today	UPDATE June 28, 19,29-11	DateDeaters	System util	ation		Call server status		
-		1204:50:11	09		115	and the second s	U(2460) est (344	
3/	10		MEASURE		14%			
	-trap	Ang Darabos 00:21:11	-00		45%	44(225) C5606		
			AGENT PER	FORMANCE E	OARD (TOP 18			
	1455 interest	Max Duration	April10	User	Recordings	Aug. Time	Last Recording Time	
	ADD DUDOUND	1192:13:14	2400040	2400048	2121	00.12	2018-06-28	
			2400020	2420028	2178	66.12	2018-06-28	
Last 7Days	0PD471 June 26, 10,25-01	Total Dantes	2506686	2800606	2478	66.12	2018-06-28	
-		96375:17:51		2579	00.12	2018-06-28		
		30373.17.31	2408046	2400045	2168	30.12	2018-06-28	
189	362		2808783	2800733	2167	33.13	2018-06-28	
	-text	Arg Duration	2420018	2400018	2158	66.29	2018-06-28	
		00:30:32	2008/16	2000075	2118	66.29	2018-06-28	
			2409833	2400000	2158	30.32	2018-06-28	
		Max Duration	2008101	2000001	2108	30.32	2018-06-28	
	BEDD interant BETHE Cultured SECTOR Internal	1193:02:47						

[iPECS IPCR Dashboard]

-		ng & Daddoord	Report	Advisi												
	- 15	2000 B 41	0-1.1	ere 8		i ter 🕒						Search.				
	- 15		Outer .	Care -	Duration	Cell Sole	00	05/08	Over 10	Unit Name	April ID	(Change)	Receiving him	9330	The Market	
14	- 12		204-14	210475	101004	internal	1478	041210	1278		123		.408	100.0		
	- 12		-	11840	100004	internet	141	04172	123		100		10.	100.0		
	- 13		-	11041	00004	belowed.	147	0400	- 10		100		103	128.4		
	- 51	8000	-		-	Taxan .	144	100000	100		100		10	1000		
12		* A B I			mines	1000	147	there and	100		- 22		10	1000		
24 25		80E			-	1014	100	the set	100					-		
2.1		0000			and the second	1000	100	1000					-	-		
					100001	init	160	554108	101		120		40	100		
					10000	10/14	147	(54) (4)			1947		ALC: N	100.0		
					1010-07	initial	1.8.8	000.048	1044		1044		108	08.4		
-					1010104	instant.	tail.	000.049	1040		104		AG8.	0.00		
					101014	rend	142	00.140	0.0		100		101	1000		
			202-1-1	2149-1	1000-08	internal	1408	01/010	1008		12.0		AGK .	0.04		
10			224/24	1000	mon11	internal	1478	104100	128		120		10.	1047		
			-		100244	internel	1418	04100	100		100		10	1000		
		0000			monte	internal	144	INCH	104		100		100	1000		
-						ident	100						103	100.0		
		8000			-	10.14	144	the set					101	-		
-		8000			-	10.04	141						10	-		
								104(11)								
					00.00.00	10md	145	94009	-048	124	125		10	100.0		
24					minte	100.04	1402	194110	1058		189		ACT.	1000		
-		8000			101148	1000	148	547.635	104		160		ALC: N	Silter		
		80BG			101015	19414	1400	5541430	104		120		ALC: N	1000		
N.	-	Tend hearth a			> = 0 h	1 R 10										

[iPECS IPCR User Interface]

iPECS IPCR(IP Call Recording) is a call recording and monitoring solution tightly integrated with iPECS platforms optimized for small and medium sized offices and contact centers. iPECS IPCR is designed as a simple and cost- effective solution, while it delivers powerful value added features. iPECS IPCR can meet the needs of robust call recording to ensure regulatory compliance and quality management.

Real-time monitoring and recording single server for all terminals

- · Automatic call recording and on-demand recording
- · No additional hardware or cabling required
- IP, digital and SLT extension recording
- Graphical agent status monitoring : Idle, log in/out and busy
- · Live agent call monitoring with a click of mouse
- On-demand recording of the entire call, simply press call recording button any time during the call
- · Voice packet encryption and call recording at the same time
- · Remote maintenance and automatic alarming
- Server status and memory monitoring

Remote call recording

- · Record calls to remote branch, home office and road warriors
- · Conversations are saved in a central or remote servers
- · Remote packet trans-coding and relay via VOIM
- Multiple codec selection depending on network condition(G.723/G.729)
- Up to 10 systems register and record to a single iPECS IPCR server

Search and play recording

- Web based search and play
- · Keyword search : Period, hour, agent, DID and incoming/outgoing
- Directory search : Group or agent selection
- Built in media player : Play, stop, pause, marking and speed control
- Delete recording files display, Trace icon display, "Like" searching

Distributed recording

- Traffic balancing and employing through local iPECS IPCR servers
- · Local traffic saved in local servers : Regional agents and local conversation
- · Support server redundancy for local survivability

Intuitive display of statistics

- Usage statistics graphs : Table, bar chart and line graph
- External calls, internal calls and average talking time
- · Hourly, daily, monthly, yearly data and per agent data
- · Web display and excel file downloadable
- User base access level management

Conference recording

- From 3 up to 32 party conference recording
- Mixing multi party conversation paths into one path via MCIM
- · Any iPECS IPCR registered participants can save the conference

Ready for virtualization

 iPECS IPCR can be deployed on AWS environment with max 50 concurrent recording channels

iPECS ClickCall

Significant Change in Your Office Communications



[iPECS ClickCall]

iPECS ClickCall is a smart application used to make communications simpler and easier when working with a PC. All you need to do is drag a telephone number from any Windows application such as a website, Windows document or any application running on your PC. You don't need to memorize a phone number to make a call from a desktop phone. You can even reduce the chances of delays or mistakes made by pressing buttons when making a call in desktop phone.

- Click to call from any selectable number in Windows application
- Easy dialing of selectable number from Windows applications
- Show dialed call log up to 10
- Exit/Setup only through the icon in Windows tray
- Setup dialing information
- Multi language support
- Call control client without voice module
- Easy installation : Simple call client without dedicated server




PHONES

Business Communications Phones

To an end user, the telephone that sits on the desk is the system. It is the critical interface that determines how easy it is to use the system, and in turn, how productive, effective and satisfied they can be. That's why Ericsson-LG Enterprise offers a wide range of user friendly business portfolio to fit any business.

Ericsson-LG Enterprise IP phones support a comprehensive suite of telephony features and applications with solutions designed to meet varying communications needs from small to large environments.



IP Phones

iPECS 1000i series

Intuitive user interface, superior HD voice, comprehensive range of terminals meet the needs of your entire organization for today and future. Enjoy the wide selection of iPECS 1000i IP phones from entry level to professional business phones.

Simple installation and maintenance are designed into the phones. Managers and administrators can access the system via the web admin from any remote location. The intuitive user interface helps manage sophisticated feature configuration and easy maintenance routines.

1080i Premium

Premium Gigabit video IP Phone

- 7" (1024 x 600) touch & color display
- Up to 48 programmable keys with 12 self-label keys
- HD video with high resolution (HD720p) and 8M pixel camera
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports
- · 2 USB ports for charging and USB accessories
- Built-in Wi-Fi, Built-in Bluetooth and HDMI port
- OS version: Android 10







1050i Advanced

Advanced Gigabit color IP Phone

- 8 line 4.3" (480 x 272) color display
- · Up to 36 programmable keys with 12 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- · Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports
- 1 USB port for charging mobile devices and USB accessories

1040i Professional

Professional Gigabit color IP Phone

- 6 line 3.5" (480 x 320) color display
- · Up to 24 programmable keys with 8 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- · Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports
- 1 USB port for charging mobile devices and USB accessories



Essential Gigabit color IP Phone

- 6 line 2.8" (320 x 240) color display
- Up to 18 programmable keys with 6 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- · Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports



1020i Basic

Basic Gigabit IP Phone

- 4 line 2.8" (132 x 64) grayscale display
- \cdot Up to 16 programmable keys with 4 self-label(x3 pages) and 4 paper-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports



1010i Entry

Cost effective entry IP Phone

- 4 line 2.4" (132 x 64) BW display
- 4 self-label programmable keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- · Full duplex speakerphone with wideband voice

Expanding the scalability and responsiveness

- 48 buttons DSS
- LCD underlay (4.3" color LCD)
- Compatible with 1020i, 1030i, 1040i, 1050i, 1080i









1048idss

- 48 buttons DSS
- Paper type underlay
- Compatible with 1020i, 1030i, 1040i, 1050i, 1080i

1024idss

- 24 buttons DSS
- Paper type underlay
- Compatible with 1020i, 1030i, 1040i, 1050i, 1080i

EHSA (Electronic Hook Switch Adapter)

Enable remote control for well-known EHS Headsets

- Compatible with 1020i, 1030i, 1040i, 1050i
- Wired and wireless EHS devices support
- Stable and better quality operation
- EHS headset support :
- Plantronics (Savi 700 series, CS 500 series)
- Jabra (PRO 920, 925, 9450, 9460, 9470, Duo 9460, 9465)
- Sennheiser EHS (D10, DW Pro, SDW 5000)

IP DECT

Business IP DECT Solution



150dh

solution.

- Feature rich 2 inch TFT color LCD
- 50 call log
- · 250 local phonebook
- Dedicated emergency button
- Man-down support
- Pull cord support

GDC-800H

100 local phonebook

• 50 call log

Ruggedized design with IP65 compliant

• Feature rich 2 inch TFT color LCD

• Emergency button (ok button) • HD audio speaker phone

- Bluetooth pairable
- · HD audio speaker phone
- Vibrator

Ericsson-LG Enterprise provides a new and cost effective business IP DECT

solution with advanced features for both enterprises and small to mediumsized businesses. Make your Enterprise IP wireless with iPECS IP DECT

- Headset jack(3.5mm)
- 16 languages
- Standby 200hrs/Talking 17hrs
- - Vibrator
 - · Headset jack(3.5mm)
 - 16 languages
 - Standby 200hrs/Talking 18hrs



120dh

- Feature rich 2 inch TFT color LCD
- 50 call log
- 100 local phonebook
- · HD audio speaker phone
- 16 languages



110db

- Cost effective single cell
- IP-DECT base for small offices
- 1 repeater for coverage expansion
- Up to 20 users can be registered
- 5 simultaneous calls

- Narrow or Wide Band Audio
- · Central directory
- SIP Protocol
- IP security TLS 1.1, sRTP
- Statistics



100dr

- DECT repeater for coverage expansion
- Compatible with 110db/130db
- Range (Open / Building) : up to 300m / 50m
- * Max coverage is dependent on environtments.

Standby 350hrs/Talking 22hrs

Digital Phones

LDP-9200 series are Ericsson-LG Enterprise's digital desktop phones that bring the functionality to the desktop with display based interfaces, call log, self labeling keys, and simplified administration. Also, Ericsson-LG Enterprise digital desktop phones meet the diverse requirements for features, reliability, ease of use, and productivity as well as ergonomic user friendly design.



LDP-9240D

- 8 line graphic LCD with backlit(320x144)
- 24(12x2pages) programmable feature keys with Dual LED
- Wide Band Speaker phone
- Support button kit and EHSA



LDP-9224DF

- 3 line graphic LCD with backlit(192x36)
- 24 programmable feature keys with Dual LED
- Wide Band Speaker phone
- Support button kit and EHSA



LDP-9224D

- 3 line 24 character LCD
- 24 programmable feature keys with Dual LED
- Narrow Band Speaker phone
- Support button kit and EHSA




LDP-9208D

- 2 line 24 character LCD
- · 8 programmable feature keys with Dual LED
- Narrow Band Speaker phone
- No support button kit and EHSA



LIP-9012DSS









EHSA (Electronic Hook Switch Adaptor)

	LIP-9012DSS	LIP-9024DSS	LDP-9248DSS		EHSA
DSS keys	12(3 color LED)	24(3 color LED)	48(3 color LED)	Support	LDP-9224D/24DF/40D
Underlay	Paper	Paper	Paper	Detail	Compatible with
Support	LDP-9224D/DF/40D	LDP-9224D/DF/40D	LDP-9224D/24DF/40D		Plantronics Sennheiser and Jabra*
DSS connection	1	1	Up to 2	_	

* Compatible Model : Plantronics CS500 Series, SAVI 700 Series / Jabra Pro 920 Series, Pro 9400 Series

The content of this document is subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson-LG Enterprise shall have no liability for any error or damage of any kind resulting from the use of this document.

© Ericsson-LG Enterprise Co., Ltd. 2023. Ver 10.0

Ericsson-LG Enterprise Co., Ltd. (8503) 189, Gasan digital 1-ro, Geumcheon-gu, Seoul, South Korea Telephone: +82-2-3777-1114 Fax: +82-2-480-7240 www.ericssonlg-enterprise.com www.iPECS.com





Contact sales@pm-lge.com or Call 614-652-6500, Option 1 or, on the WEB @ presencemanagement.com